SUPPLEMENT TO

The Gazette



No. 23] NEW DELHI, SATURDAY, JUNE 27, 1959/ASADHA 6, 1881

OFFICIAL PAPERS

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 30th May, 1959

	Chole	ra	Smallp	ο x	Plagu	e		Ch	olera	Sm	allpox	Pla	ague
	C.	D.	С.	D. '	C.	D.		C.	D.	C.	D.	C.	D.
A	adhra I	rades	h					De	elbi				
Srikakulam .			7					"N.					
Visakhapatnam .	• ••	•••	1	••	••	••		chal P	radesl	1			
East Godayari	•	••	4 11	 5		••	Total for w/c 23-5-59	•	••	••	••	••	• •
West Godavari	•	••	11	2		••	Total for w/c 16-5-59	• •		··	••	••	••
Krishna	•		2	ī.	••				rala				
Guntur		• •	8	3	••	••			I.R."		•		
Chittoor .			r	_		••	λ	iadhya		.ch			
Nellore		••	1	., I	•••	* •	••	"N.E		,			
Anantapur .		••	2	ı		•••		Mad					
Warangal .		•••	••	I	•••		Madras city .			13			•
Hyderabad .			3			••	Chingleput .	• ••	••		9 1	••	••
TOTAL		•••	44	14	•••	••	South Arcot	• ••	• •	7 6	1	••	••
Total for w/c 23-5-5		••	97	14	•••	••	Tanjore	••	••	3	•	••	••
Total for w/e 16-5-5		••	118	37	••	•••	Madurai	••	• •	6	••	••	••
. 33		58am		٦,	• •	••	North Arcot .	••	••	ı	ı	··	
							Salem			4	3		••
	••]	N.R.''					Coimbatore	• • •	••	6	3	••	••
	В	ihar					The Nilgiris	• • • • • • • • • • • • • • • • • • • •	••	14	3	••	••
	"N	I.R."					TOTAL .		••	60	21	••	••
	Во	mbay					Total for w/e 23-5-59			78	25	. •	••
Greater Bombay		•	10	•			Total for w/e 16-5-59	• •	• •	102	20	••	••
Panchmahals .	. 319	 64		3	••	••		Man	lpur				
Ahmednagar .				••	• •	••	Total	• •	••	••	••	••	••
East Khandesh .		••	7 I	• •	••	••	Total for w/e 23-5-59	3		• •	••	• •	••
Nasik		• •	I	···	••	••	Total for w/e 16-5-59	••	••	••	••	- •	• •
Poons		•••	7			••		Mys	ore				
North Satara .			, I		••	••	Chikmagalur	••		8	2	••	••
Sholapur		••	2	r	••	••	Shimoga	••	** *	9	1		••
Chanda		••	8	1	••	••	Tumkur		• •	3	I	••	• •
Nagpur		••	1	••	••	••	Belgaum	• •	• •	5	••	• •	• •
Sabarkantha .		••	1	••	••	• •	South Kanara	• •	• •	8	2	••	• •
TOTAL	. 319	64	39	6	••	••	Coorg (Mercara) .	••		1	I	••	••
Total for w/e 23-5-5	•	18	35	7			TOTAL	••		34	7	• •	• •
Total for w/e 16-5-59			57		-	- •	Total for w/e 23-5-59. Total for w/e 16-5-59.		• • •	103 •45	2 \$ I5	• •	• •
- 31-1 11 11 10 3 3	•	• •	١ د	4	• •	• •	100m101 W/6 10-3-39.	• •	• •	*40	+3	••	••

Explanation of Symbols used :- C=Cases; D. = Deaths; .. = Nil; "N.R." = Information not received.

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 30th May, 1959—contd.

		Cho	olera	Smal	l pox	Plag	gue		Cho	olera	Sm	nallpox	P	lague	
		c	c. D.	C,	D.	C,	D.			C.	D.	C.	D.	C.	D
		Orise	ı n						'n	ttar P	radesi	1			
								Allahabad .	•	••	••	I		••	••
Puri		. 6	2	I	••		••	Azamgarh .		••		4	2		••
Balasore	•			5		••	••	Bahraich			••	2	I		••
Ganjam .				1	••		••	Ballia		• •	••	5	2		••
Koraput .				7	2		••	Bareilly .	•	• •	••	7	9	••	••
Sambalpur	•			81	19			Bijnor		• •	••	4	I	••	
Dhenkanal		. 7	4	3				Deoria	•	••	••	4	2	••	••
Sundergarh				2		••	••	Farrukhabad .	•	••		5	2		••
Keonjhar				3	••			Faizabad	•	••	• •	5	I		••
Bolangir		•••		85	32	••	••	Ghazipur .	•	••	••	6	5	••	••
Khondmals	. ,			14	••			J _{alaun}	٠	••	• •	••	2	••	••
Mayurbhanj				6	2			Kanpur	•	• •	••	4	5	• •	٠٠,
Kalahandi				40	74			Lucknow .	•	4	• •	2	••	••	••
TOTAL .		. 13	6	2 48	129			Rae-Bareilly .		2	••		••		••
Total for w/e 23	3-5-59.	4	3	298	57			Mainpuri .	•		••	I	1	••	••
Total for w/e 16	ó-5-59	I	I	198	33			Merrut	•	• •	• •	I		••	••
								Moradabad .	•	• •	••	7	4	• •	
	1	Pondic	herry					Mathura .			••	ı	••	••	
								Muzaffarnagar				4	I	• •	••
TOTAL	•		••	6	I	••	••	Naini Tal .		••		7	2		••
Total for w/e 23	3-5 - 59		••	• •	••		.,	Pillbhit		••		••	I	• •	• 1
Total for w/e 16	5-5 - 59		• •	8	2		• •	Rampur	•	٠٠,		27	7	••	•
\		1	Punjab					Saharanpur .				6	2	••	••
		•	шуни					Shahjahanpur .		••	••	4	2	••	
Hisser .		• • •	••	ĭ	2		••	Tehri Garhwal				2	I	٠.	••
Ambala .				2		••	- •	TOTAL		6		100	53		••
Ludhiana.			••		1		••	Total for w/e 23-5-5	59 ¹	2		100	36		••
Ferozepur .			• •	2	r		••	Total for w/e 16-5-5	59		٠.	125	27		
Sangrur .	•		••	I		••			Vest	Benge	a1				
TOTAL			••	6	4		••	Burdwan .	•	••	••	13	9	• •	••
TOTAL for wie 2	23 -5 -5	•	••	12	2	••		Birbhum	•	••	••	6	4	••	•-
Total for w/c 16	5-5-59		• •	9		• •	••	Bankura	•	I	I	23	10	••	• •
								Midnapur	•	••	••	19	8	••	••
		· Kaj	lasthan	l				Hooghly	•	21	7	11	1	••	••
		•	'N.R."					Howrah	٠	51	14	••	••	••	••
								24-Parganas .	•	52	12	36	II	••	• •
		T	ripura					Calcutta		102	27	I	1	••	• •
Total .								Nadia	•	1	1	4	1	••	• •
Total for w/e 23			-			••	••	Jalpaiguri .	•	••	••	5	3	••	••
		••		• •	••	••	••	Malda	•		••	5	• •	••	••
Total for w/e 16		on of S	, , 			••		Purlia .		4	I	12	4	••	••
EXP	Matig	out of 2	A1II DOI 2	цве а: —	.c. = C	iscs; I). = De	athe;=Nil; "N.R."	Info	rmation	n not r	eceived.			

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th May, 1959-concld.

							- ,									
	Сно	LERA	Smai	LPOX	$\mathbf{P}_{\mathbf{L}A}$	AGUE					CHOL	ERA	SMALLI	ox	PLAGUE	
	C,	D.	C.	D.	C.	D.					C,	D.	C.	D.	C,	D.
	West 1	Bengal	 contd	,								N	ia dhya	Prad	csh	
TOTAL	232	63	135	52							v	v/e 23-:	5-59			
Total for w/e 23-5-59	208	73	183	74		• •	Ujjain				75	35				• •
Total for w/e 16-5-59	207	55	191	65		••	Indore				58	26				
Total for India (Excludi Delhi and Rajasthan)	ing Assa 570	m, Bih 133		ala, Ma 287	idhya I	Pradesh,	Dewas	٠			2	1			••	••
Corresponding Total for w/e 23-5-59	260	94	906	243	••	••	Rajgarh	•	•		64	16	••	••		• `
Corresponding)			•				Chhindv	иага	•	•	• 4	• •	33	2	• •	• •
Total for w/e 16-5-59 }	209	56	853	223	• •	••	Raigarh						56	6		••
ARRE	AR IN	FORM	ATIO	V			Bolaghat						15	4	• •	
	Rajs	sthan					- 'T	OTAL			199	78	104	12		•
	w/e 2	3-5-59					,	OIVE	•			•	•	12	••	••
Sawai Madhopur .	• •		5		••	••					RB	MARKS	}			
Jaipur			2	• •	• •		Chole	raE	Epide	mi	c con	dition	s pre	vailed	in]	Panch-
Jhunjhunu			3			••	mahals	distr	icts	of	Boml	oay St	ate.			
Churu			4				Smal	lpox.	—Н	eav	y inc	idence	were	rep	orted	from
TOTAL		• •	14	••	• •	••	Sambal	pur (and	Bol	angir	and o	listrict	s of C)rissa	State.
Explanation of symbols	used:—	C=Cas	ses; D	-Deat	hs;	=Nil	"N.R."	=Infe	ormat	ion	not re	ceived.				

New Delhi 2 (India) The 22nd June, 1959

H. R. SHARMA. for Registrar General, India.

Note:-

Epidemic=100 cases or more per week per million of population. Heavy=50—100 cases per week per million of population.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S

Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR Interest at 5.41 per cent per annum at maturity. Available in denominations NATIONAL PLAN SAVINGS CERTIFICATES of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-10-YEAR 4 per cent interest paid annually. Available in multiples of Rs. 50/- upto TREASURY SAVINGS DEPOSIT CERTIFICATES Rs. 25,000/- Individual holding upto Rs. 25,000/-. 24 per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on **POST OFFICE SAVINGS BANK ACCOUNTS** balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,325/-, Rs. 0 650/-, Rs. 13,300/-, & Rs. 26,600/-

Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur of to the Regional National Savinga Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th May, 1959

										Do	atha f	rom : r	-				
Town				Pop	ild-year naEst. (000)	в.	B.R.*	C,	s.	Р.	F.	D.D. F	R.D. 1	——¬ М.D .	Total	D.R.*	I,D,
Andl	ıra Pı	rade	•h						"N.R."								
Aesa	m								"N.R."								_
Bihs	r								"N.R."	•							•
Bom	bay								N.K."								
Delh	1								"N.R."								
Kers	le.								"N,R."								
Mad	hye P	rad	c s b						"N.R.	•							
Mad	ras								"N.R."								
My	sore																
Bangalore Mysore . Kolar Gold F	ields†	•	:		258 364	647 164	26°, 23°4		••	::	15	39 7	45 4	••	262 62	8·8 10·8	6 3
Bellary .					85	40	24.4	• •			2	7	3		34	20.8	3
Davangere Shimoga	•	:	:		86 71	61 39	36;8 28:5	• •	• •	••	7 8	• •	••	ï	27 12	8·7	• •
Bhadravati† Hospet† Tumkur .			_		54	21	20.2		••		8	••			8	7.7	
Kolar† Chitaldrug					40	4	5.2		••	••							•
Hassant Bidart					•		•										••
Gulbergat Raichurt																	
Bijapur† Belgaum. Dharwar.	:		:	:	114 87	116	50·6 6·5	••	••	••					41 9	18·7 5·3	
Bagalkot Mangalore Gadag Betege	reţ	•	4		40 159	39 146	50·7 47·7	·	1	••	. 3	 2	1	••	4 42	5·2 14·7	••
Hubli†																	
Тот	L	•	•	:	2348	1288	28.5	• •	I	• •	49	58	5 5	2	504	11.3	14
Orisai																	
Beh _r ampur Cuttack Puri		•	:		84 134 57	35 118 43	21·7 46·0 39·1		2	· ·	3 9 2	7 8 2	13 	••	26 48 27	16.1 18 7 2 4.6	5 6 5
	Тотаі	<u>.</u>			275	196	37 2		2	. ,	14	17	13		101	19.2	16
Pondic	herry	,			68	82	62.7				1	3	2	Ţ	15	11.4	7
Punja	b														_	•	•
Ambala Amritsar Batala	•		•	:	63 367 68	32 101 26	26·5 14·4 19·9	• •	••	••	4 1 2	 I	26 3		9 7 7 9	7°5 10°9 6°9	1 21
Bhiwani	•		•	-	60	_	26.1							••	_	-	3
Ferozepur † Hissar					42	30 27	13.2	••	••	••	10	••	3 5	••	20 12	17·4 14 9	3 2
Hoshiarpur					56	14	13.0			• .	2	2			8	7:4	3
Juliundur† Karnal	•		-	-	87	33	19.8				3	1		•••		7·4 6·0	
	•		•	•		_		••		••	-		I	• • •	10	•	••
Ludhlana Moga†		*		•	200	84	21.9	• •	• •	••	3	••	4	• •	33	8.6	3
Panipat	•		•	•	7 \$	12	8.3	• •	••	• •	6	••	• •	• •	8	5.6	4
Pathankot Rewari Rohtak			•	•	38 37	13 23	17·8 32·4	• • • •	••	•••	2		3	::	6 6	8·3 8·3	3

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

⁺Figures not available.

Haplunation of Symbols used:—B.=Births; B.R.—Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague: F.=Fevers; D.D.=Dysentery and Diarrheea; R.D.=Respiratory Diseases: M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ...=Nil information; "N.R"=Information not received.

30·0

11.3

7 1

35

23

44

1

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the -week ending the 30th May, 1959—contd.

Deaths from:-Mid-year Popn Est. (000) В D.R.* I.D. Towns B.R. C. S. P F. D.D. R.D. M.D. Total Punjab-contd. Simla 54 36 34.7 2 3 2.9 3 S onepat? Bhatinde 16 17.8 3 3.3 47 3 Malerkotla. 36 8 12 · · Patiala 129 5Ò 20.2 TO 2 3 I 12.5 9 58 50 9 I 9.5 TOTAL. 1,359 514 19:7 247 55 Rajasthan 8.9 80 16.6 20 Almer . 250 1 II 43 13 Alwar ··I IO 22 8 Beawar 67 17 13.3 17'1 39 Bharatpur :: :: •• Bikaner 117 . . 6 5.8 Churu . . 54 65 Cianganagar 6 Ġ 70 0.7 Jaipur Jodhpur 125 14.7 443 43 233 ٠. Kotah 83 . . Sikar Tonk 57 46 6.4 2 1.8 Udaipur . 125 19 2 7.9 1 TOTAL 996 135 7.0 I 100 7 15 2 194 10 I 65 Utter Pradeth 65 14·7 6·8 430 54° I 3 117 414 381 62 Agra Allahabad 150 62 20.2 52.1 2 5 23 3 50 12 ΙÍ 12.8 Amroha 1 5 69 Bahraich 40 15 16.0 τ 3 T 2 т2 • 8 426 26·9 25 235 10 28.7 3 . . 220 Banaras - -43 I 33 3.2 Banda 15.8 2 9 Barcilly 206 57 14.4 3 2 4 25 6.3 5 Bestit Ballia† 8 Blinor 12.6 τ4.2 8.5 33 3 I Q Budaun 30 6 28.4 55 45 3 6.9 Bulandshahr 3 3 4 8 Chandausi -2 45 31 35.9 3 19 ٠. 22.0 4 Dehra Dun† 6 67 18.7 Btawah 39 30 - 3 11 24 6 Faizabad-Ayodhya† Farukhabad-Fatehgarh Firozabad† 79 36 23.8 12 7.9 1 Ghazipur 36 21 30.4 3 4.3 1 Ghaziabadt Gonda† 155 67 76 Gorakhpur 13·4 36·7 18·5 6 **4** 1 8 26 36 27 Hapur Hardwar ••• • • 10 16 35 Haldwani-cum-Kathgodam†. 19 18 Hathras 66 2 3 4 12 8·6 4 5 1 15.6 60 Jaunpur ٠. . . ٠. Ι 10 Jhanti 101 35 2 18 18 842 18-7 Kanpur 297 18.4 99 23 54 303 52 Kasgan)† Khuriat 4**2** 67 T2 · 8 3 1 5 2 9.4 Koil Aligarh 171 1 19 32 12 6.5 **2**8 539 Lucknow 4 5

. .

21

10

18

. .

7

11

Ι

5

121

40

203

44

19.0

28·8

71

Mathura

Meerut

Mau-Nath Bhanjan

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F=Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infentile Deaths (including total deaths); ...—Nil information; "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in In lia for the week ending the 30th May, 1959—contd.

						Deaths	from:	_					
Towns	Mid-year Popn Est. (000)	В.	B.R.♥	C,	s.	Р,	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.
Uttar Pradesh-co	ntd.												
Mirzapur-Vindhyachal Moradabad Muzaffarnagar	102 166 83	89 :	2 1·5 27.9 21·9			::	10 21 5	1 2	1 12 	••	21 61 10	10·7 9.2 6·2	9 9 4
Pilibhit† Rampur† Saharanpur	188 183	10 71	2·9 20·2		••	••	31	ï		••	2 45	0·5 12·8	 9
Sambhal† Sitapur · · · · · · · · · · · · · · · · · · ·	54	22 2	21.4	,		••	2.	I	• •	••	4	2.9	3
Tanda† Najibabad† Hardoi†	36	20	28.9				6	• •	I		11	15.9	4
Total	5,252	2,246	22°2 AR	 REAR		 PRMA	439 TION	6 0	265	10	1283	12.7	264
Andhra Prade	e h				w/e 23	5-5-59							
Adoni† Anantpur Anakapalli†	. 44	13	15.4	••	2	••	I	I	2	2	15	17.7	3
Bhimavaram Chirala Chittoor	. 43 . 50 . 51	27 21 14	32·6 21·8 14·3	•••	••	••	8 	3 	2 1 2	••	15 15 3	3. I 12.6 18. I	1 2
Cuddapah Ellore Gudiyada	. 47 . 112 . 41	29 33 20	32·1 15·3 25·4	••	 	::	1 1 5	••	4 2 I	ĭ	15 23 15	16·7 10·7 19.0	I 4 3
Guntur	. 175 . 45	65 16 30	19-3 24-9 12.3	••	 	•••	2 4 1	4 	3 2 1	••	64 12 12	19·0 18·7 4·9	11 2 3
Kurnool† Masulipatnam Nandyal	. 98 . 41	4 3 5	22·8 6·3	••	 I	•••	, I	 	1		10 3	5·3 3·8	
Nellore† Proddutur Rajahmundry .	· 47	27 46	29·9 17·1		 r				2 3		13 15	14·4 5·6	ī I
Tenali Vijayawada Visakhapatnam†	. 78 . 271		23·4 12·9	::	::	••	·. 6		2 2		7 29	4·1 5·6	3 4
Viziangaram . Hyderabad† Warrangal†	. 83	29	18.3	••	••	••	3	••	4	• •	19	11.9	3
Nizamabad Kothagudiam Secunderabad	. 85 . 80	5	6·1 3·3 26·4	•••			 5	2	 7	::	5 4 34	3.1 3.1	 9
TOTAL .	. 1,773	649	19.0		6		44	14	41	4	328	9.6	53
Biher					w/a 16	i-5-195	9						
Arrah Bettiah Bhagalpur	· 75 · 41 · 136	3 7 27	2·1 8·9 10·3	••	·	••	3 2 9	••	 	• •	6 3 31	4·2 3·8 11.9	••
Bihar Chapra Darbhanga	. 71 . 73 . 100		12·5 24·2 7·8				1 4 7	 	2	••	2 13 12	1.5 9.9 6.2	••
Dhanbad Dinapur Gaya	. 50 - 45 . 163	_3	12·5 3·5 20·4	::		::	 1 28	··· 3		•••	4 3 58	4·2 3·5 18·5	
Hazaribagh Jamalpur Jamahedpur	· 44 · 49 · 275	18 9 115	21.3 9.6 21.7	• •	•••	::	2	 		2 	7 2 22	8·3 2 1 4·2	••
Katihar† Monghyr Muzaffarpur	. 86 • 95	40 24	24·2 13·1			.:	12 5	4	2		19 18	10·9 10·4	
Patna	. 384 . 167 1.854	15	16·8 4 7 14·8	••		::	5 2 92	 	 8 23	:: 2	35 22 260	4·7 4·2 7·3	••
	- 7 ⊤	/				. •	-	-	-	_	-		-

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th May, 1959—contd.

					Dea	tha from	m :—					
Towns	Midyear Popn. Est. B. (000)	B R.*	C.	8.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.•	I.D
Kerala			w/s 16	-5 -1 959								
Alleppey† Changanacherry Kottayam	45 3 56 1	3·5 0·9		••					••	ı 	I · 2	••
Ernakulam Mattancherry Quilon	79 4 97 11 84 63	2·6 5·9 0·4	::	••	···	 I	••		••	3 10	 1.8 6.2	 I 2
Trichur	81 1 256 26 192 202	0·6 5·3 54·7	••	 		·· I 4	1 3 6	 4 11	2	7 19 117	4·5 3·9 31·7	2 25
Palghat	84 38 50 21	23·5 21·8	••		::		3	3 I	••	13 18	8·0 8·0	3 5
Ccchin	33 38	59.9	••	••	••	• •	••	3	• •	7	11.0	3
Total	1,298 408	16.4	••	••	••	7	13	23	2	195	9.6	41
Madhya Pradesh			w/e	16-5-59)							
Bilaspur† Burhanpur† Damoh†												
Jabalpur Khandwa† Raipu ^r †	277 100	18.7	••	••	••	3	••	6	I	22	4'1	6
Murwara† Sagar† Chindwara	33 7	11.0		2		2	••		ı	16	25.2	5
Raigarh Itarsi Greater Gwalior	41 5 39 19 304 48	6°3 25°4 8.2	••	··.	••	1 7	••	1 3		3 5 23	3·8 3·8	
Indore Ratlam Ujjain†	441 163 84 20	12.3 10.5	••	:•	:	15	::	40 12		103 39	12·1 24·1	37
Bh o pal City Mandsaur	1 32 61 50 1 3	24·0 13·5	• •	• •		3	2 I	5 1	••	32 3	12.6 3.1	••
Total .	1,401 436	16.1	••	2	••	45	3	56	3	246	9·1	50
Madras			W/# 23	3-5-59								
Ambur Arrupukottai Bodinavakunur .	48 24 64 60 43 18	26.0 48.7 21.8	••	••	::	2 I I	3 4 2	3 3	I 	14 20 6	15·2 16·2 7·3	5 6
Chidambaram Coimbatore Cuddalore	44 46 279 268 77 75	54°4 49°9 50°6		 	•••	 1 2	18 2	1 24 1		10 108 15	11.8 20·1 10·1	2 39 4
Dindigul Erode	103 83 79 41 51 26	41.9 27.0 26.5	 ::	::	::	5 2	 I	3 2 I	 I	21 18 5	2.1 11.8 10.9	8 5
Gudiyattam Kancheepuram Karaikudi .	60 25 94 76 49 23	21·7 42·0 24·4	••	••		3 1	I I 2	6 		17 35 6	14·7 19·4 6·4	6 7 1
Karur Kumbakonam Madres City	60 34 119 84 2,110 1,243	29·5 36·7 30 6	::	 5		2 2 50	1 79	 3 155	 2	10 19 531	8 7 8·3 13·1	4 1 162
Madurei Mayutam Maliapalayam	510 322 55 60 44 11	32·8 36·7 32·8	••	ĭ 		16 2 	4 	21 1 1	••	162 16 2	16.2 15.1 2.4	35 .5
Nagapattinam Nagercoil Ootacumund	62 55 113 74 54 34	46·1 34·1 32·7	••	••		3 2	2 1 5	1 3 6	••	18 14 15	15·1 6·4 14·4	10 2 2
Palni Palayamkottai Periyakulam	46 40 50 47 36 35	45·2 48·9 50 6	•	•••	:		 	1 5 1	 	8 17 11	9 0 17·7 15.9	3 3 3
*In cases of towns where	there has been an	abnorma	al move	ment of	popul	lation, i	t is likel	ly that t	he noni	ulation	estimates	mav

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30 oco and over in India for the week ending the 30th May, 1959—concld.

						Deaths from									
T	0 ₹ □\$		Mid-year Popn. Est. (000)	В.	B.R.*	c.	S.	P.	F.	D.D	R.D.	M.D.	Total	D.R.*	I.D.
Madr	Bsc	ont d.													
Pollachi Pudukottei Rajapalayam	:	:	· 63 56 77	32 57 33	26·4 52·9 22·3			4.0 1.0	1 1 4	2 1	ĭ		8 19 13	10.4 17.6 5.4	5 4 2
Salem Sriangam Srivilliputtur	:	•	293 48 46	158 69 34	28·4 74·7 38·4	••	••	••	 I	6 1 2	12 •• 1	 	57 5 14	10·1 5·4 15·8	6 2 3
Tanjore Tiruchirapalli Tirunalveli		: :	138 285 86	88 168 72	33·2 30·7 43·5	•••	••	**	2 5 2	I I I	5 3 1	 3 	45 55 15	9.1 10.0 14.0	5 17 3
Tiruppur Tiruvannamalai Tutkorin	:	:	77 48 124	57 47 66	38·5 50·9 27·7	15 10 00	••	::		 2	7 a 8	: ::	19 7 25	7.6 10.5	8 1 01
Vaniyambadi Vellore Villapuram	: :	:	46 147 42	13 131 33	14·7 46·3 40·9	••	••		 	 6 1	2 6 2	••	6 42 4	6·8 14·9 5·0	8
Virudhunagar		•	59	34	30.0	••			1		r	-•	6	5.3	1
Тота	I,	•	5,885	3,896	34.1	••	7	••	119	153	295	II :	r,438	12.7	390
Ori	888					w/c	23-5-5	59			ı				
Behrampur . Cutack Puri			84 134 57	50 103 56	31.0 31.0	**		••	5 	4 7 1	 	 	34 46 38	21.1 17.9 34.6	9 10
Тотац	•	•	275	209	39.7	• •	2	• •	12	12	11	I	118	22.4	29

[&]quot;In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera'; S.=Smallpor; P=Plague; F.=Fevers, D.D.=Dysentery and Diarrhoca; R.D.=Respiratory Diseases; M.D.='aternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ...=Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending 30th May, 1959, relates to 69 towns from the States of Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 10,298 thousand out of a total population of 48,772 thousand in 324 towns of the Country.

The number of births and deaths recorded in these towns were 4,461 and 2,344 registering birth and death rates of 22.5 and 11.8 per thousand of population respectively. The following table gives registered rates for different States.

States						Curren	it #/e 30-5-59	Corresponding w/s last year				
						B.R.	D.R.	B.R.	D.R.			
Mysore			•		,	28.5	II•2	25.0	11.9			
Orissa	•			•		37.2	19+2	38•1	22.9			
Pondicherry	•	•	•			62.7	11.4	58.9	33'\$			
Punjab	•					19.7	9•5	28.1	8-9			
Rajasthan			•	•	•	7.0	10.1	13.3	9.5			
Uttar Prade	s h				•	23.2	13'7	22.9	15.4			
India	•	•	•	•	•	22-5	11.8	25.8	10.3.			

New Delhi-2 (India);
The 22nd June, 1959.

H. R. SHARMA, for Registrar General India.